


This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**


Claim 1 (previously presented): A compound of the formula (I) or an N-oxide or salt thereof,



in which the radicals and indices have the following definitions:

Z is N or CR<sup>8</sup>;

A is a radical from the group A7 to A15:



R<sup>1</sup> and R<sup>2</sup> independently are each hydrogen, halogen, cyano, isocyano, OH, COOR<sup>10</sup>, COR<sup>10</sup>, CH<sub>2</sub>OH, CH<sub>2</sub>SH, CH<sub>2</sub>NH<sub>2</sub>, NO<sub>2</sub>, (C<sub>1</sub>-C<sub>4</sub>)-alkyl, halo-(C<sub>1</sub>-C<sub>4</sub>)-alkyl, (C<sub>3</sub>-C<sub>6</sub>)-cycloalkyl, (C<sub>1</sub>-C<sub>4</sub>)-alkoxy, halogen-(C<sub>1</sub>-C<sub>4</sub>)-alkoxy, (C<sub>1</sub>-C<sub>2</sub>)-alkoxy-(C<sub>1</sub>-C<sub>2</sub>)-alkyl, (C<sub>2</sub>-C<sub>4</sub>)-alkenyl, (C<sub>2</sub>-C<sub>4</sub>)-alkynyl, (C<sub>3</sub>-C<sub>4</sub>)-alkenyloxy, (C<sub>3</sub>-C<sub>4</sub>)-alkynyoxy, (C<sub>1</sub>-C<sub>2</sub>)-alkylthio-(C<sub>1</sub>-C<sub>2</sub>)-alkyl, S(O)<sub>n</sub>R<sup>9</sup>, (C<sub>1</sub>-C<sub>2</sub>)-alkylsulfonyl-(C<sub>1</sub>-C<sub>2</sub>)-alkyl, NH<sub>2</sub>, (C<sub>1</sub>-C<sub>4</sub>)-alkyl-NH, (C<sub>1</sub>-C<sub>3</sub>)-alkyl-CO-NH, (C<sub>1</sub>-C<sub>4</sub>)-alkyl-SO<sub>2</sub>NH or di-(C<sub>1</sub>-C<sub>4</sub>)-alkylamino;

R<sup>3</sup> and R<sup>4</sup> independently are each hydrogen, halogen, cyano, (C<sub>1</sub>-C<sub>4</sub>)-alkyl, halo-(C<sub>1</sub>-C<sub>4</sub>)-alkyl, (C<sub>1</sub>-C<sub>4</sub>)-alkoxy or halo-(C<sub>1</sub>-C<sub>4</sub>)-alkoxy;

R<sup>5</sup> is halogen, cyano, (C<sub>1</sub>-C<sub>4</sub>)-alkyl, halo-(C<sub>1</sub>-C<sub>4</sub>)-alkyl, (C<sub>1</sub>-C<sub>4</sub>)-alkoxy, halo-(C<sub>1</sub>-C<sub>4</sub>)-alkoxy, halo-(C<sub>1</sub>-C<sub>4</sub>)-alkylthio, (C<sub>3</sub>-C<sub>5</sub>)-cycloalkyl, halo-(C<sub>3</sub>-C<sub>5</sub>)-cycloalkyl, SF<sub>5</sub>, S(O)<sub>n</sub>R<sup>9</sup>, (C<sub>2</sub>-C<sub>4</sub>)-alkenyl or (C<sub>2</sub>-C<sub>4</sub>)-alkynyl;

R<sup>6</sup> is hydrogen, halogen, cyano, (C<sub>1</sub>-C<sub>4</sub>)-alkyl, halo-(C<sub>1</sub>-C<sub>4</sub>)-alkyl, (C<sub>1</sub>-C<sub>4</sub>)-alkoxy, halo-(C<sub>1</sub>-C<sub>4</sub>)-alkoxy or S(O)<sub>n</sub>R<sup>9</sup>;

R<sup>8</sup> is hydrogen, halogen, cyano, (C<sub>1</sub>-C<sub>4</sub>)-alkyl, (C<sub>1</sub>-C<sub>4</sub>)-alkoxy, hydroxy, amino, (C<sub>1</sub>-C<sub>4</sub>)-alkylamino, (C<sub>1</sub>-C<sub>3</sub>)-alkylcarbonylamino, (C<sub>1</sub>-C<sub>4</sub>)-alkylsulfonylamino, di-(C<sub>1</sub>-C<sub>4</sub>)-alkylamino or S(O)<sub>n</sub>R<sup>9</sup>;

R<sup>9</sup> is hydrogen, (C<sub>1</sub>-C<sub>4</sub>)-alkyl or halo-(C<sub>1</sub>-C<sub>4</sub>)-alkyl;

R<sup>10</sup> is hydrogen or (C<sub>1</sub>-C<sub>4</sub>)-alkyl;

X is oxygen or sulfur; and

n is 0, 1 or 2.

Claim 2 (Original): A compound as claimed in claim 1, wherein Z is CR<sup>8</sup>.

Claim 3 (Original): A compound as claimed in claim 1, wherein R<sup>3</sup> and R<sup>4</sup> independently are each hydrogen, halogen, methyl, methoxy or trifluoromethyl.

Claim 4 (Original): A compound as claimed in claim 1, wherein

R<sup>1</sup> is hydrogen, halogen, methoxy, methyl or ethyl, and

R<sup>2</sup> is hydrogen, methyl, ethyl, methoxy, ethoxy, cyano, ethynyl, vinyl or formyl.

Claim 5 (Original): A compound as claimed in claim 1, wherein R<sup>3</sup> and R<sup>4</sup> independently are each hydrogen or methyl.

Claim 6 (Original): A compound as claimed in claim 1, wherein R<sup>8</sup> is hydrogen, halogen or (C<sub>1</sub>-C<sub>4</sub>)-alkyl.

Claim 7 (Original): A compound as claimed in claim 1, wherein R<sup>5</sup> is halogen, cyano, halo-(C<sub>1</sub>-C<sub>4</sub>)-alkyl, halo-(C<sub>1</sub>-C<sub>4</sub>)-alkoxy or halo-(C<sub>1</sub>-C<sub>4</sub>)-alkylthio.

Claim 8 (Original): A compound as claimed in claim 1, wherein R<sup>6</sup> is hydrogen or methyl.

Claim 9 (Original): A herbicidal composition comprising a herbicidally effective amount of at least one compound of the formula (I) as claimed in claim 1.

Claim 10 (Original): A herbicidal composition as claimed in claim 9 in a mixture with formulating auxiliaries.


Claim 11 (previously presented): A method of controlling unwanted plants, which comprises applying an effective amount of at least one compound of the formula (I) as claimed in claim 1 to the plants or to the site of the unwanted plant growth.

Claim 12 (Canceled).

Claim 13 (previously presented): The method as claimed in claim 11, wherein the compound of the formula (I) is used to control unwanted plants in crops of useful plants.

Claim 14 (previously presented): The method as claimed in claim 13, wherein the useful plants are transgenic.


Claim 15 (currently amended): A compound of the formula (I) or an N-oxide or salt thereof,



in which the radicals and indices have the following definitions:

Z is N

A is



$R^1$  and  $R^2$  independently are each hydrogen, halogen, cyano, isocyano, OH,  $\text{COOR}^{10}$ ,  $\text{COR}^{10}$ ,  $\text{CH}_2\text{OH}$ ,  $\text{CH}_2\text{SH}$ ,  $\text{CH}_2\text{NH}_2$ ,  $\text{NO}_2$ , ( $C_1$ - $C_4$ )-alkyl, halo-( $C_1$ - $C_4$ )-alkyl, ( $C_3$ - $C_6$ )-cycloalkyl, ( $C_1$ - $C_4$ )-alkoxy, halogen-( $C_1$ - $C_4$ )-alkoxy, ( $C_1$ - $C_2$ )-alkoxy-( $C_1$ - $C_2$ )-alkyl, ( $C_2$ - $C_4$ )-alkenyl, ( $C_2$ - $C_4$ )-alkynyl, ( $C_3$ - $C_4$ )-alkenyloxy, ( $C_3$ - $C_4$ )-alkynyloxy, ( $C_1$ - $C_2$ )-alkylthio-( $C_1$ - $C_2$ )-alkyl,  $S(\text{O})_n\text{R}^9$ , ( $C_1$ - $C_2$ )-alkylsulfonyl-( $C_1$ - $C_2$ )-alkyl,  $\text{NH}_2$ , ( $C_1$ - $C_4$ )-alkyl-NH, ( $C_1$ - $C_3$ )-alkyl-CO-NH, ( $C_1$ - $C_4$ )-alkyl- $\text{SO}_2\text{NH}$  or di-( $C_1$ - $C_4$ )-alkylamino;

$R^3$  and  $R^4$  independently are each hydrogen, halogen, cyano, ( $C_1$ - $C_4$ )-alkyl, halo-( $C_1$ - $C_4$ )-alkyl, ( $C_1$ - $C_4$ )-alkoxy or halo-( $C_1$ - $C_4$ )-alkoxy;

$R^5$  is halogen, cyano, ( $C_1$ - $C_4$ )-alkyl, halo-( $C_2$ )-alkyl, halo-( $C_3$ )-alkyl, halo-( $C_4$ )-alkyl, ( $C_1$ - $C_4$ )-alkoxy, halo-( $C_1$ - $C_4$ )-alkoxy, halo-( $C_1$ - $C_4$ )-alkylthio, ( $C_3$ - $C_5$ )-cycloalkyl, halo-( $C_3$ - $C_5$ )-cycloalkyl,  $\text{SF}_5$ ,  $S(\text{O})_n\text{R}^9$ , ( $C_2$ - $C_4$ )-alkenyl or ( $C_2$ - $C_4$ )-alkynyl;

$R^6$  is hydrogen, halogen, cyano, ( $C_1$ - $C_4$ )-alkyl, halo-( $C_1$ - $C_4$ )-alkyl, ( $C_1$ - $C_4$ )-alkoxy, halo-( $C_1$ - $C_4$ )-alkoxy or  $S(\text{O})_n\text{R}^9$ ;


$R^8$  is hydrogen, halogen, cyano, ( $C_1$ - $C_4$ )-alkyl, ( $C_1$ - $C_4$ )-alkoxy, hydroxy, amino, ( $C_1$ - $C_4$ )-alkylamino, ( $C_1$ - $C_3$ )-alkylcarbonylamino, ( $C_1$ - $C_4$ )-alkylsulfonylamino, di-( $C_1$ - $C_4$ )-alkylamino or  $S(\text{O})_n\text{R}^9$ ;

$R^9$  is hydrogen, ( $C_1$ - $C_4$ )-alkyl or halo-( $C_1$ - $C_4$ )-alkyl;

$R^{10}$  is hydrogen or ( $C_1$ - $C_4$ )-alkyl; and

$n$  is 0, 1 or 2.


Claim 16 (currently amended): A compound of the formula (I) or an N-oxide or salt thereof,



in which the radicals and indices have the following definitions:

Z is N

A is



R<sup>1</sup> and R<sup>2</sup> independently are each hydrogen, halogen, cyano, isocyano, OH, COOR<sup>10</sup>, COR<sup>10</sup>, CH<sub>2</sub>OH, CH<sub>2</sub>SH, CH<sub>2</sub>NH<sub>2</sub>, NO<sub>2</sub>, (C<sub>1</sub>-C<sub>4</sub>)-alkyl, halo-(C<sub>1</sub>-C<sub>4</sub>)-alkyl, (C<sub>3</sub>-C<sub>6</sub>)-cycloalkyl, (C<sub>1</sub>-C<sub>4</sub>)-alkoxy, halogen-(C<sub>1</sub>-C<sub>4</sub>)-alkoxy, (C<sub>1</sub>-C<sub>2</sub>)-alkoxy-(C<sub>1</sub>-C<sub>2</sub>)-alkyl, (C<sub>2</sub>-C<sub>4</sub>)-alkenyl, (C<sub>2</sub>-C<sub>4</sub>)-alkynyl, (C<sub>3</sub>-C<sub>4</sub>)-alkenyloxy, (C<sub>3</sub>-C<sub>4</sub>)-alkynyoxy, (C<sub>1</sub>-C<sub>2</sub>)-alkylthio-(C<sub>1</sub>-C<sub>2</sub>)-alkyl, S(O)<sub>n</sub>R<sup>9</sup>, (C<sub>1</sub>-C<sub>2</sub>)-alkylsulfonyl-(C<sub>1</sub>-C<sub>2</sub>)-alkyl, NH<sub>2</sub>, (C<sub>1</sub>-C<sub>4</sub>)-alkyl-NH, (C<sub>1</sub>-C<sub>3</sub>)-alkyl-CO-NH, (C<sub>1</sub>-C<sub>4</sub>)-alkyl-SO<sub>2</sub>NH or di-(C<sub>1</sub>-C<sub>4</sub>)-alkylamino;

R<sup>3</sup> is hydrogen, halogen, cyano, (C<sub>1</sub>-C<sub>4</sub>)-alkyl, halo-(C<sub>1</sub>-C<sub>4</sub>)-alkyl, (C<sub>1</sub>-C<sub>4</sub>)-alkoxy or halo-(C<sub>1</sub>-C<sub>4</sub>)-alkoxy;

R<sup>4</sup> is halogen, cyano, (C<sub>1</sub>-C<sub>4</sub>)-alkyl, halo-(C<sub>1</sub>-C<sub>4</sub>)-alkyl, (C<sub>1</sub>-C<sub>4</sub>)-alkoxy or halo-(C<sub>1</sub>-C<sub>4</sub>)-alkoxy;

R<sup>5</sup> is halogen, cyano, (C<sub>1</sub>-C<sub>4</sub>)-alkyl, halo-(C<sub>1</sub>-C<sub>4</sub>)-alkyl, (C<sub>1</sub>-C<sub>4</sub>)-alkoxy, halo-(C<sub>1</sub>-C<sub>4</sub>)-alkoxy, halo-(C<sub>1</sub>-C<sub>4</sub>)-alkylthio, (C<sub>3</sub>-C<sub>5</sub>)-cycloalkyl, halo-(C<sub>3</sub>-C<sub>5</sub>)-cycloalkyl, SF<sub>5</sub>, S(O)<sub>n</sub>R<sup>9</sup>, (C<sub>2</sub>-C<sub>4</sub>)-alkenyl or (C<sub>2</sub>-C<sub>4</sub>)-alkynyl;

R<sup>6</sup> is hydrogen, halogen, cyano, (C<sub>1</sub>-C<sub>4</sub>)-alkyl, halo-(C<sub>1</sub>-C<sub>4</sub>)-alkyl, (C<sub>1</sub>-C<sub>4</sub>)-alkoxy, halo-(C<sub>1</sub>-C<sub>4</sub>)-alkoxy or S(O)<sub>n</sub>R<sup>9</sup>;


$R^8$  is hydrogen, halogen, cyano,  $(C_1-C_4)$ -alkyl,  $(C_1-C_4)$ -alkoxy, hydroxy, amino,  $(C_1-C_4)$ -alkylamino,  $(C_1-C_3)$ -alkylcarbonylamino,  $(C_1-C_4)$ -alkylsulfonylamino, di- $(C_1-C_4)$ -alkylamino or  $S(O)_nR^9$ ;

$R^9$  is hydrogen,  $(C_1-C_4)$ -alkyl or halo- $(C_1-C_4)$ -alkyl;

$R^{10}$  is hydrogen or  $(C_1-C_4)$ -alkyl; and

n is 0, 1 or 2.


Claim 17 (currently amended): A compound of the formula (I) or an N-oxide or salt thereof,



in which the radicals and indices have the following definitions:

Z is N

A is



$R^1$  and  $R^2$  independently are each hydrogen, halogen, cyano, isocyano, OH,  $COOR^{10}$ ,  $COR^{10}$ ,  $CH_2OH$ ,  $CH_2SH$ ,  $CH_2NH_2$ ,  $NO_2$ ,  $(C_1-C_4)$ -alkyl, halo- $(C_1-C_4)$ -alkyl,  $(C_3-C_6)$ -cycloalkyl,  $(C_1-C_4)$ -alkoxy, halogen- $(C_1-C_4)$ -alkoxy,  $(C_1-C_2)$ -alkoxy- $(C_1-C_2)$ -alkyl,  $(C_2-C_4)$ -alkenyl,  $(C_2-C_4)$ -alkynyl,  $(C_3-C_4)$ -alkenyloxy,  $(C_3-C_4)$ -alkynyloxy,  $(C_1-C_2)$ -alkylthio- $(C_1-C_2)$ -alkyl,  $S(O)_nR^9$ ,  $(C_1-C_2)$ -alkylsulfonyl- $(C_1-C_2)$ -alkyl,  $NH_2$ ,  $(C_1-C_4)$ -alkyl-NH,  $(C_1-C_3)$ -alkyl-CO-NH,  $(C_1-C_4)$ -alkyl- $SO_2NH$  or di- $(C_1-C_4)$ -alkylamino;

$R^3$  is halogen, cyano, ( $C_2$ )-alkyl, ( $C_3$ )-alkyl, ( $C_4$ )-alkyl, halo-( $C_1$ - $C_4$ )-alkyl, ( $C_1$ - $C_4$ )-alkoxy or halo-( $C_1$ - $C_4$ )-alkoxy;

$R^4$  is hydrogen, halogen, cyano, ( $C_1$ - $C_4$ )-alkyl, halo-( $C_1$ - $C_4$ )-alkyl, ( $C_1$ - $C_4$ )-alkoxy or halo-( $C_1$ - $C_4$ )-alkoxy;

$R^5$  is halogen, cyano, ( $C_1$ - $C_4$ )-alkyl, halo-( $C_1$ - $C_4$ )-alkyl, ( $C_1$ - $C_4$ )-alkoxy, halo-( $C_1$ - $C_4$ )-alkoxy, halo-( $C_1$ - $C_4$ )-alkylthio, ( $C_3$ - $C_5$ )-cycloalkyl, halo-( $C_3$ - $C_5$ )-cycloalkyl,  $SF_5$ ,  $S(O)_nR^9$ , ( $C_2$ - $C_4$ )-alkenyl or ( $C_2$ - $C_4$ )-alkynyl;

$R^6$  is hydrogen, halogen, cyano, ( $C_1$ - $C_4$ )-alkyl, halo-( $C_1$ - $C_4$ )-alkyl, ( $C_1$ - $C_4$ )-alkoxy, halo-( $C_1$ - $C_4$ )-alkoxy or  $S(O)_nR^9$ ;


$R^8$  is hydrogen, halogen, cyano, ( $C_1$ - $C_4$ )-alkyl, ( $C_1$ - $C_4$ )-alkoxy, hydroxy, amino, ( $C_1$ - $C_4$ )-alkylamino, ( $C_1$ - $C_3$ )-alkylcarbonylamino, ( $C_1$ - $C_4$ )-alkylsulfonylamino, di-( $C_1$ - $C_4$ )-alkylamino or  $S(O)_nR^9$ ;

$R^9$  is hydrogen, ( $C_1$ - $C_4$ )-alkyl or halo-( $C_1$ - $C_4$ )-alkyl;

$R^{10}$  is hydrogen or ( $C_1$ - $C_4$ )-alkyl; and

$n$  is 0, 1 or 2.


Claim 18 (currently amended): A compound of the formula (I) or an N-oxide or salt thereof,



in which the radicals and indices have the following definitions:

Z is N

A is



R<sup>1</sup> is isocyano, OH, COOH, CO<sub>2</sub>CH<sub>3</sub>, CO<sub>2</sub>(C<sub>3</sub>-alkyl), CO<sub>2</sub>(C<sub>4</sub>-alkyl), COH, COCH<sub>3</sub>, CO(C<sub>2</sub>-alkyl), CO(C<sub>3</sub>-alkyl), CO(C<sub>4</sub>-alkyl), CH<sub>2</sub>OH, CH<sub>2</sub>SH, CH<sub>2</sub>NH<sub>2</sub>, NO<sub>2</sub>, (C<sub>2</sub>)-alkyl, (C<sub>3</sub>)-alkyl, (C<sub>4</sub>)-alkyl, halo-(C<sub>2</sub>)-alkyl, halo-(C<sub>3</sub>)-alkyl, halo-(C<sub>4</sub>)-alkyl, (C<sub>3</sub>-C<sub>6</sub>)-cycloalkyl, (C<sub>2</sub>)-alkoxy, (C<sub>3</sub>)-alkoxy, (C<sub>4</sub>)-alkoxy, halogen-(C<sub>1</sub>-C<sub>4</sub>)-alkoxy, (C<sub>2</sub>)-alkoxy-(C<sub>1</sub>-C<sub>2</sub>)-alkyl, (C<sub>1</sub>)-alkoxy-(C<sub>2</sub>)-alkyl, (C<sub>2</sub>-C<sub>4</sub>)-alkenyl, (C<sub>2</sub>-C<sub>4</sub>)-alkynyl, (C<sub>3</sub>-C<sub>4</sub>)-alkenyloxy, (C<sub>3</sub>-C<sub>4</sub>)-alkynyloxy, (C<sub>1</sub>-C<sub>2</sub>)-alkylthio-(C<sub>1</sub>-C<sub>2</sub>)-alkyl, S(O)<sub>n</sub>R<sup>9</sup>, (C<sub>1</sub>-C<sub>2</sub>)-alkylsulfonyl-(C<sub>1</sub>-C<sub>2</sub>)-alkyl, NH<sub>2</sub>, (C<sub>1</sub>-C<sub>4</sub>)-alkyl-NH, (C<sub>1</sub>-C<sub>3</sub>)-alkyl-CO-NH, (C<sub>1</sub>-C<sub>4</sub>)-alkyl-SO<sub>2</sub>NH or di-(C<sub>1</sub>-C<sub>4</sub>)-alkylamino;

R<sup>2</sup> is Br, F, cyano, isocyano, OH, COOR<sup>10</sup>, COR<sup>10</sup>, CH<sub>2</sub>OH, CH<sub>2</sub>SH, CH<sub>2</sub>NH<sub>2</sub>, NO<sub>2</sub>, (C<sub>3</sub>)-alkyl, (C<sub>4</sub>)-alkyl, halo-(C<sub>2</sub>)-alkyl, halo-(C<sub>3</sub>)-alkyl, halo-(C<sub>4</sub>)-alkyl, (C<sub>3</sub>-C<sub>6</sub>)-cycloalkyl, (C<sub>2</sub>)-alkoxy, (C<sub>3</sub>)-alkoxy, (C<sub>4</sub>)-alkoxy, halogen-(C<sub>1</sub>-C<sub>4</sub>)-alkoxy, (C<sub>1</sub>-C<sub>2</sub>)-alkoxy-(C<sub>1</sub>-C<sub>2</sub>)-alkyl, (C<sub>2</sub>-C<sub>4</sub>)-alkenyl, (C<sub>2</sub>-C<sub>4</sub>)-alkynyl, (C<sub>3</sub>-C<sub>4</sub>)-alkenyloxy, (C<sub>3</sub>-C<sub>4</sub>)-alkynyloxy, (C<sub>1</sub>-C<sub>2</sub>)-alkylthio-(C<sub>1</sub>-C<sub>2</sub>)-alkyl, S(O)<sub>n</sub>R<sup>9</sup>, (C<sub>1</sub>-C<sub>2</sub>)-alkylsulfonyl-(C<sub>1</sub>-C<sub>2</sub>)-alkyl, NH<sub>2</sub>, (C<sub>1</sub>-C<sub>4</sub>)-alkyl-NH, (C<sub>1</sub>-C<sub>3</sub>)-alkyl-CO-NH, (C<sub>1</sub>-C<sub>4</sub>)-alkyl-SO<sub>2</sub>NH or di-(C<sub>1</sub>-C<sub>4</sub>)-alkylamino;

R<sup>3</sup> and R<sup>4</sup> independently are each hydrogen, halogen, cyano, (C<sub>1</sub>-C<sub>4</sub>)-alkyl, halo-(C<sub>1</sub>-C<sub>4</sub>)-alkyl, (C<sub>1</sub>-C<sub>4</sub>)-alkoxy or halo-(C<sub>1</sub>-C<sub>4</sub>)-alkoxy;

R<sup>5</sup> is halogen, cyano, (C<sub>1</sub>-C<sub>4</sub>)-alkyl, halo-(C<sub>1</sub>-C<sub>4</sub>)-alkyl, (C<sub>1</sub>-C<sub>4</sub>)-alkoxy, halo-(C<sub>1</sub>-C<sub>4</sub>)-alkoxy, halo-(C<sub>1</sub>-C<sub>4</sub>)-alkylthio, (C<sub>3</sub>-C<sub>5</sub>)-cycloalkyl, halo-(C<sub>3</sub>-C<sub>5</sub>)-cycloalkyl, SF<sub>5</sub>, S(O)<sub>n</sub>R<sup>9</sup>, (C<sub>2</sub>-C<sub>4</sub>)-alkenyl or (C<sub>2</sub>-C<sub>4</sub>)-alkynyl;

R<sup>6</sup> is hydrogen, halogen, cyano, (C<sub>1</sub>-C<sub>4</sub>)-alkyl, halo-(C<sub>1</sub>-C<sub>4</sub>)-alkyl, (C<sub>1</sub>-C<sub>4</sub>)-alkoxy, halo-(C<sub>1</sub>-C<sub>4</sub>)-alkoxy or S(O)<sub>n</sub>R<sup>9</sup>;

R<sup>8</sup> — is hydrogen, halogen, cyano, (C<sub>1</sub>-C<sub>4</sub>)-alkyl, (C<sub>1</sub>-C<sub>4</sub>)-alkoxy, hydroxy, amino, (C<sub>1</sub>-C<sub>4</sub>)-alkylamino, (C<sub>1</sub>-C<sub>3</sub>)-alkylcarbonyl amino, (C<sub>1</sub>-C<sub>4</sub>)-alkylsulfonylamino, di-(C<sub>1</sub>-C<sub>4</sub>)-alkylamino or S(O)<sub>n</sub>R<sup>9</sup>;

R<sup>9</sup> is hydrogen, (C<sub>1</sub>-C<sub>4</sub>)-alkyl or halo-(C<sub>1</sub>-C<sub>4</sub>)-alkyl;

R<sup>10</sup> is hydrogen or (C<sub>1</sub>-C<sub>4</sub>)-alkyl; and

n is 1 or 2.

Claim 19 (previously presented): A compound of claim 15, wherein R<sup>1</sup> and R<sup>2</sup> = H, R<sup>3</sup> and R<sup>4</sup> independently are each H or CH<sub>3</sub>, R<sup>5</sup> is F, Cl or cyano and R<sup>6</sup> is H.

Claim 20 (canceled).

Claim 21 (canceled).

Claim 22 (canceled).